

**ОФЕРТА
ЗА
ОБОСОБЕНА ПОЗИЦИЯ № 2
„Доставка на периферна техника за Управляващия орган на
ОПРЧР и МТСП“**



Техническо предложение - Приложение №3



ЕВРОПЕЙСКИ СЪЮЗ
ЕВРОПЕЙСКИ
СОЦИАЛЕН ФОНД

МИНИСТЕРСТВО НА ТРУДА И СОЦИАЛНАТА
ПОЛИТИКА
ОПЕРАТИВНА ПРОГРАМА
„РАЗВИТИЕ НА ЧОВЕШКИТЕ РЕСУРСИ“



Приложение № 3

ТЕХНИЧЕСКО ПРЕДЛОЖЕНИЕ

за изпълнение на поръчка с предмет „Доставка на компютърна и периферна техника за
Управляващия орган на ОПРЧР и МТСП“
по **ОБОСОБЕНА ПОЗИЦИЯ № 2- „Доставка на периферна техника за Управляващия орган на
ОПРЧР и МТСП“**

от

Елизабета Симеонова Башева, в качеството ми на Упълномощен представител на **КОНТРАКС АД**
с ЕИК/ БУЛСТАТ 175415627 – участник в открита процедура за възлагане на обществена поръчка с
предмет „Доставка на компютърна и периферна техника за Управляващия орган на ОПРЧР и
МТСП“

УВАЖАЕМИ ГОСПОЖИ И ГОСПОДА,

С настоящото представяме нашето техническо предложение за изпълнение на поръчката, както следва:

1. Приемаме срока за доставка, монтаж, тестване, въвеждане в експлоатация на периферната техника и провеждане на 2-дневното обучение да бъде до 60 (шестдесет) календарни дни, считано от датата на подписване на договора за възлагане на обществената поръчка.
2. Приемаме гаранционния срок, считано от датата на подписване на окончателния приемо - предавателен протокол за доставка, монтаж, тестване и въвеждане в експлоатация на техниката да бъде 36 (тридесет и шест) месеца и съгласно изискванията, посочени в техническата спецификация на възложителя.
3. Декларираме, че в случай, че бъдем избрани за изпълнител на настоящата обществена поръчка, ще доставим, монтираме, тестваме и пуснем в експлоатация офериранията от нас техника в сградата на МТСП в гр. София 1051, ул. „Триадица“ № 2, ет. 4.
4. Декларираме, че предлаганата техника е нова, неупотребявана, в текущо производство и осигурено сервизно обслужване, съответства на изискванията на възложителя от техническата спецификация.
5. Декларираме, че ще изпълним поръчката съобразявайки се с условията по изпълнение/доставка, посочени от възложителя в документацията за участие.
6. Гарантираме, че след монтажа, тестването и въвеждането в експлоатация на доставената техника ще проведем 2-дневно обучение на 10 служители на възложителя. (Само за МФУ - тип 1 и МФУ - тип 2).
7. Гарантираме, че сме в състояние да изпълним качествено поръчката и в срок в пълно съответствие с гореописаното техническо предложение.
8. При доставката, изделията ще бъдат съпроводени със следните документи, удостоверяващи качеството, преведени на български език:

- Документ, удостоверяващ качеството на изделията, издаден от производителя;
- Документ, удостоверяващ произхода на изделията;
- Гаранционни карти на изделията, с упоменати номер, партида или друго, идентифициращо доставеното изделие, издадени от изпълнителя или от оторизиран сервиз.
- Ръководства на потребителя.

9. Приемаме да се считаме обвързани от задълженията и условията, поети с офертата, до изтичане на 6 /шест/ месеца, считано от крайния срок за получаване на оферти.
10. Приемаме изцяло клаузите на проекта на договор за Обособена позиция 2 към документацията и при решение за определянето ни за изпълнител ще сключим договора по надлежен начин и в законоустановения срок, като в текста му бъдат включени всички клаузи от проекта на договор и предложенията от офертата ни за участие в процедурата.
11. В случай че бъдем избрани за изпълнител на обществената поръчка, се задължаваме да представим при сключване на договора гаранция за изпълнението му съгласно условията на документацията и документите съгласно изискванията по чл. 112, ал. 1 ЗОП.



ЕВРОПЕЙСКИ СЪЮЗ
ЕВРОПЕЙСКИ
СОЦИАЛЕН ФОНД

МИНИСТЕРСТВО НА ТРУДА И СОЦИАЛНАТА
ПОЛИТИКА
ОПЕРАТИВНА ПРОГРАМА
„РАЗВИТИЕ НА ЧОВЕШКИТЕ РЕСУРСИ“



12. Прилагаме документ за упълномощаването ми от законния(те) представител(и) на участника (в случаите, в които е приложимо).

13. Предлагаме следната програма за обучение:

а) MFP A4&A3, моно и цветни машини:

- Запознаване с функциите на машината - копиране
- Запознаване с функциите на машината – принтиране
- Запознаване с функциите на машината – сканиране
- Запознаване с функциите на машината – факс

б) Скенери

- Обща информация за скенер Fujitsu Fi-7160
- Основни насоки за правилното свързване и експлоатация на скенер Fi-7160 (описание на основни компоненти и начин на свързване)
- Описание на основните начини на сканиране със скенер Fi-7160
- Настройки от панела за управление на скенер Fi-7160
- Поддръжка на скенер Fi-7160 (например замяна на консумативи, периодично почистване на скенера)
- Отстраняване на неизправности

14. Допълнителна информация:

(предоставя се по преценка на участника).

Важно !

В случай, че са налични, участниците прилагат към настоящото предложение брошури или други документи, които потвърждават предложените характеристики на предлаганата от тях периферна техника. Приложените документи не трябва да съдържат цени.

ДАТА: 24.10.2016 г.

ПОДПИС:

Елизабета Башева – Упълномощен представител

(име, фамилия и длъжност на представляващия участника)

ПРИЛОЖЕНИЯ:

1. Предложение за изпълнение на поръчката, в съответствие с техническите спецификации и изискванията на Възложителя
2. Документация (листове с технически данни/технически характеристики, брошури, сертификати и др.), която позволява оценка на съответните параметри
3. Изрично пълномощно в оригинал за конкретната процедура
4. Декларация за съгласие с клаузите на приложения проект на договор
5. Декларация за срок на валидност на офертата
6. Декларация относно изискванията към предлаганата техника
7. Декларация относно изпълнение на поръчката, гаранционно обслужване и поддръжка на предложената техника
8. Сканирано копие на цялата оферта на електронен носител БЕЗ ЦЕНОВОТО ПРЕДЛОЖЕНИЕ;



**Предложение за изпълнение на поръчката, в съответствие с
техническите спецификации и изискванията на Възложителя**



ЕВРОПЕЙСКИ СЪЮЗ
ЕВРОПЕЙСКИ
СОЦИАЛЕН ФОНД

МИНИСТЕРСТВО НА ТРУДА И СОЦИАЛНАТА ПОЛИТИКА
ОПЕРАТИВНА ПРОГРАМА
„РАЗВИТИЕ НА ЧОВЕШКИТЕ РЕСУРСИ“



Предложение за изпълнение на поръчката

ТЕХНИЧЕСКО ОПИСАНИЕ
на стоките, подлежащи на доставка

Обособена позиция № 2 - „Периферна техника“

Наименование на Участника: КОНТРАКС АД

Пореден	Спецификации на възложителя		Предложени от участника спецификации (включително марка/модел)	Бележки, коментари относно техническите спецификации	Бележки на оценителната комисия
	Параметър	Минимално изискване към параметъра			
1	Монохромно МФУ, тип 1, формат А3		Toshiba e-STUDIO5508A Парт.No 6AG00007413		
	Тип на машината	Монохромно лазерно многофункционално устройство	Монохромно лазерно многофункционално устройство	съответства	
	Достъпни основни функции	печат, копиране, сканиране, fax	печат, копиране, сканиране, fax	съответства	
	Марка и модел	Да се специфицира	Toshiba e-STUDIO 5508A	съответства	
	Едностранно копиране скорост A4	≥ 50 листа/мин	55 листа/мин	съответства	
	Двустранно копиране скорост A4	≥ 25 листа/мин	27 листа/мин	съответства	
	Време за първо копие	≤ 5.5 сек	5.2 сек	съответства	
	Време замяване	≤ 20 сек	15 сек	съответства	
	Резолуция на копиране	≥ 600 x 600 dpi	600 x 600 dpi	съответства	



ЕВРОПЕЙСКИ СЪЮЗ
ЕВРОПЕЙСКИ
СОЦИАЛЕН

МИНИСТЕРСТВО НА ТРУДА И СОЦИАЛНАТА ПОЛИТИКА
ОПЕРАТИВНА ПРОГРАМА
„РАЗВИТИЕ НА ЧОВЕШКИТЕ РЕСУРСИ“



ОПЕРАТИВНА ПРОГРАМА
РАЗВИТИЕ НА
ЧОВЕШКИТЕ РЕСУРСИ

Пореден	Спецификации на възложителя		Предложени от участника спецификации (включително марка/модел)	Бележки, коментари относно техническите спецификации	Бележки на оценителната комисия
	Параметър	Минимално изискване към параметъра			
	Ниво на сиво	256	256	съответства	
	Многократно копиране	≥ 999 копия	9999 копия	съответства	
	Формат на оригинала	A5 - A3	A5 - A3	съответства	
	Мащабиране	25-400% през стъпка 1%	25-400% през стъпка 1%	съответства	
	Опции копиране на оригинали	1:1, 1:2, 2:1, 2:2	1:1, 1:2, 2:1, 2:2	съответства	
	Функции на копиране	да се специфицира	Електронно сортиране, Rotate сортиране, Edge Erase, 2-в-1/4-в-1 режим	съответства	
	Спецификации на принтера				
	Резолуция на печат (dpi)	min 600x600, 1200x1200 with smoothing (Post Script)	600x600, 2400x600 with smoothing 1200x1200(Post Script), 3600x1200 with smoothing (Post Script)	надвишава	
	Поддържа мобилен печат	Да, ios, WIFI certified	Да, ios, WIFI certified	съответства	
	Език за принтиране	PCL, PostScript, XPS	PCL, PostScript, XPS	съответства	
	Операционни системи	Windows 7 (32/64 bit), и по-нови версии на Windows Server 2008 (64 bit), Windows Server 2012 (64 bit)	Windows 7 (32/64 bit), и по-нови версии на Windows Windows Server 2008 (64 bit), Windows Server 2012 (64 bit)	съответства	
	Шрифтове на принтера	PCL, PostScript	PCL, PostScript	съответства	
	Спецификации на скенера				
	Скорост на сканиране	≥ 60	240	съответства	



ЕВРОПЕЙСКИ СЪЮЗ
ЕВРОПЕЙСКИ
СОЦИАЛЕН СЪЮЗ

МИНИСТЕРСТВО НА ТРУДА И СОЦИАЛНАТА ПОЛИТИКА
ОПЕРАТИВНА ПРОГРАМА
„РАЗВИТИЕ НА ЧОВЕШКИТЕ РЕСУРСИ“



ОПЕРАТИВНА ПРОГРАМА
РАЗВИТИЕ НА
ЧОВЕШКИТЕ РЕСУРСИ

Пореден	Спецификации на възложителя		Предложени от участника спецификации (включително марка/модел)	Бележки, коментари относно техническите спецификации	Бележки на оценителната комисия
	Параметър	Минимално изискване към параметъра			
	Резолуция на сканиране (dpi)	$\geq 600 \times 600$	600x600	съответства	
	Режими на сканиране	Scan to mail, Scan to smb (scan to network folder), Scan to usb	Scan to mail, Scan to smb (scan to network folder), Scan to usb	съответства	
	Формати на файловете	JPEG, Multi/Single page TIFF, PDF, XPS, Secure PDF	JPEG, Multi/Single page TIFF, PDF, XPS, Secure PDF	съответства	
	Спецификации на факса				
	Стандарт на факса	Да се специфицира	Communication Super G3, G3 - (opt. 2nd line), Internet Fax T.37, Transmission Speed Approx. 3 seconds per page	съответства	
	Комуникация	Super G3	Super G3	съответства	
	Compression	JBIG, MMR, MR	JBIG, MMR, MR	съответства	
	Network Fax	Да	Да	съответства	
	Спецификации на системата				
	Стандартна памет на системата	$\geq 3,5$ GB	4 GB	съответства	
	Стандартен хард диск	≥ 250 GB	320 GB	съответства	
	Стандартен интерфейс	10-Base-T/100-Base-T/1000-Base-T Ethernet, USB 2.0	10-Base-T/100-Base-T/1000-Base-T Ethernet, USB 2.0	съответства	
	Мрежови протоколи	TCP/IP	TCP/IP	съответства	
	Листоподавач ADF	автоматичен, двустранен, ≥ 100 стр.	автоматичен, двустранен, 300 стр.	съответства	
	Размер на хартията	a5-a3	a5-a3	съответства	



ЕВРОПЕЙСКИ СЪЮЗ
ЕВРОПЕЙСКИ
СОЦИАЛЕН СЪЮЗ

МИНИСТЕРСТВО НА ТРУДА И СОЦИАЛНАТА ПОЛИТИКА
ОПЕРАТИВНА ПРОГРАМА
„РАЗВИТИЕ НА ЧОВЕШКИТЕ РЕСУРСИ“



ОПЕРАТИВНА ПРОГРАМА
РАЗВИТИЕ НА
ЧОВЕШКИТЕ РЕСУРСИ

Пореден	Спецификации на възложителя		Предложени от участника спецификации (включително марка/модел)	Бележки, коментари относно техническите спецификации	Бележки на оценителната комисия
	Параметър	Минимално изискване към параметъра			
	Тегло на печатаема хартия (g/m ²)	60-250	60-300	надвишава	
	Входящ капацитет (листи)	≥ 6000	6020	съответства	
	Касети за хартия - стандарт	Касета 1 и 2 :500 sheets,A5-A3,64-209g/m, ръчен байпас A5-A6	Касета 1 и 2 :540 sheets,A5-A3,60-256 g/m, ръчен байпас 100x148mm - 330x483mm	надвишава	
	Допълнителни касети за хартия	Касета/и за минимум 2200 страници, A5-A3,60-256g/m,	Касета/и за 2320 страници, A5-A3,60-256g/m,	надвишава	
		Външна касета с капацитет не по-малко от 2500 страници, или 2 x мин 2000	Външна касета с капацитет 2500 страници	съответства	
	Автоматичен Дуплекс	A5-A3	A5- 320x460mm	надвишава	
	Режими на довършване	създаване на книжки, перфориране, групиране, сортиране	създаване на книжки, перфориране, групиране, сортиране	съответства	
	Изходящ капацитет с финишер	≥ 3250	3250	съответства	
	Изходящ капацитет без финишер	≥ 250	500	съответства	
	Телболиране	50 листа или 48 листа + 2 корици	50 листа или 48 листа + 2 корици	съответства	
	Перфориращ модул	2 отвора, Формат на хартията за перфориране: A5/A3	2 отвора, Формат на хартията за перфориране: A5/A3	съответства	
	Изходящ капацитет след телболиране	≥ 500	3250	съответства	
	Препоръчителен обем на печат месечно	≥ 60000	280 000	съответства	



ЕВРОПЕЙСКИ СЪЮЗ
ЕВРОПЕЙСКИ
СОЦИАЛЕН

МИНИСТЕРСТВО НА ТРУДА И СОЦИАЛНАТА ПОЛИТИКА
ОПЕРАТИВНА ПРОГРАМА
„РАЗВИТИЕ НА ЧОВЕШКИТЕ РЕСУРСИ“



ОПЕРАТИВНА ПРОГРАМА
РАЗВИТИЕ НА
ЧОВЕШКИТЕ РЕСУРСИ

Пореден	Спецификации на възложителя		Предложени от участника спецификации (включително марка/модел)	Бележки, коментари относно техническите спецификации	Бележки на оценителната комисия
	Параметър	Минимално изискване към параметъра			
	Максимален обем на печат месечно	$\geq 150\,000$	520 000	съответства	
	Брой копия при 5% разход на тонер	$\geq 60\,000$	106 600	съответства	
	Живот на барабанен модул	Мин. 300 000 страници	520 000 страници	надвишава	
	Консумация на енергия	да се специфицира kw/h в режим на работа и „спящ режим“	режим на работа 2.4 kW, 0.7kW in super sleep mode	съответства	
	Размери (WxDxH, mm)	да се специфицира в см	95,5 x 69,8 x 122,7cm	съответства	
	Тегло на системата (kg)	да се специфицира в кг	195 кг	съответства	
	Характеристики на системата				
	Сигурност и потребителски опции	защитен принт с парола, сканиране върху паметта на устройството, потребителски акаунти (да се специфицира брой), да се специфицират сертификати за сигурност ISO, SSL	защитен принт с парола, сканиране върху паметта на устройството, потребителски акаунти 10 000, ISO/IEC15408EAL3+, SSL	съответства	
	Отдалечено наблюдение на машината	Да	Да	съответства	
	Консумативи за мин. 280 000 копия (140 000 копия за всяко МФУ), без да се включва хартията и стартовите консумативи.	Да се специфицират вида и количеството на консумативите.	Тонер T-5508E - 2 бр. за 106 600 копия всеки	съответства	



ЕВРОПЕЙСКИ СЪЮЗ
ЕВРОПЕЙСКИ
СОЦИАЛЕН

МИНИСТЕРСТВО НА ТРУДА И СОЦИАЛНАТА ПОЛИТИКА
ОПЕРАТИВНА ПРОГРАМА
„РАЗВИТИЕ НА ЧОВЕШКИТЕ РЕСУРСИ“



ОПЕРАТИВНА ПРОГРАМА
РАЗВИТИЕ НА
ЧОВЕШКИТЕ РЕСУРСИ

Пореден	Спецификации на възложителя		Предложени от участника спецификации (включително марка/модел)	Бележки, коментари относно техническите спецификации	Бележки на оценителната комисия
	Параметър	Минимално изискване към параметъра			
	Гаранционен срок	36 месеца	36 месеца	съответства	
2	Цвятно МФУ тип 2, формат A3 - 2 броя		Toshiba e-STUDIO 3505AC Парт.№ 6AG000006524	съответства	
	Процес на копиране		Да	съответства	
	Тонер система		Да	съответства	
	Скорост на копиране A4 черно	≥ 35 листа/мин	35 листа/мин	съответства	
	Скорост на копиране A4 цветно	≥ 35 листа/мин	35 листа/мин	съответства	
	Време за първо копие черно	≤ 6сек	5,9 сек	съответства	
	Време за първо копие цветно	≤ 8 сек	7,8 сек	съответства	
	Време загряване	≤ 15 сек	12 сек	съответства	
	Резолюция на копиране	≥ 600 x 600 dpi	600 x 600 dpi	съответства	
	Google Cloud printing	Да	Да	съответства	
	Многократно копиране с един бутон	≥ 999 копия	999 копия	съответства	
	Поддържани формати на оригинала	A5 - A3	A5 - A3	съответства	
	Мащабиране	25-400% през стъпка 1%	25-400% през стъпка 1%	съответства	
	Опции копиране на оригинали	1:1, 1:2, 2:1, 2:2	1:1, 1:2, 2:1, 2:2	съответства	



ЕВРОПЕЙСКИ СЪЮЗ
ЕВРОПЕЙСКИ
СОЦИАЛЕН СЪЮЗ

МИНИСТЕРСТВО НА ТРУДА И СОЦИАЛНАТА ПОЛИТИКА
ОПЕРАТИВНА ПРОГРАМА
„РАЗВИТИЕ НА ЧОВЕШКИТЕ РЕСУРСИ“

ОПЕРАТИВНА ПРОГРАМА
РАЗВИТИЕ НА
ЧОВЕШКИТЕ РЕСУРСИ

Пореден номер	Спецификации на възложителя		Предложени от участника спецификации (включително марка/модел)	Бележки, коментари относно техническите спецификации	Бележки на оценителната комисия
	Параметър	Минимално изискване към параметъра			
	Функции на копиране	да се специфицира	Електронно сортиране, Rotate сортиране, ID Card копиране, Edge Erase, 2-в-1/4-в-1 режим	съответства	
	Минимални изисквания за принтиране				
	Резолуция на печат (dpi)	min 600x600, 1200x1200 with smoothing (Post Script)	600x600, 1200x1200(Post Script), 3600x1200 with smoothing (Post Script)	надвишава	
	Поддържа мобилен печат	Да, ios, WIFI certified	Да, ios, WIFI certified	съответства	
	Език за принтиране	PCL, PostScript, XPS	PCL, PostScript, XPS	съответства	
	Операционни системи	Windows 7 (32/64 bit), и по-нови версии на Windows Server 2008 (64 bit), Windows Server 2012 (64 bit)	Windows 7 (32/64 bit), и по-нови версии на Windows Server 2008 (64 bit), Windows Server 2012 (64 bit)	съответства	
	Шрифтове на принтера	PCL, PostScript	PCL, PostScript	съответства	
	Минимални изисквания за сканиране				
	Скорост на сканиране черно	≥ 50	73	съответства	
	Резолуция на сканиране (dpi)	$\geq 600 \times 600$	600x600	съответства	
	Режими на сканиране	Scan to mail, Scan to smb(scan to network folder), scan to USB, meta scan	Scan to mail, Scan to smb(scan to network folder), scan to USB, meta scan	съответства	
	Формати на файловете	JPEG, Multi/Single page TIFF,PDF,XPS, Secure PDF	JPEG, Multi/Single page TIFF,PDF,XPS, Secure PDF	съответства	
	Минимални изисквания на факса				



ЕВРОПЕЙСКИ СЪЮЗ
ЕВРОПЕЙСКИ
СОЮЗ

МИНИСТЕРСТВО НА ТРУДА И СОЦИАЛНАТА ПОЛИТИКА
ОПЕРАТИВНА ПРОГРАМА
„РАЗВИТИЕ НА ЧОВЕШКИТЕ РЕСУРСИ“



ОПЕРАТИВНА ПРОГРАМА
РАЗВИТИЕ НА
ЧОВЕШКИТЕ РЕСУРСИ

Пор еден	Спецификации на възложителя		Предложени от участника спецификации (включително марка/модел)	Бележки, коментари относно техническите спецификации	Бележки на оценителната комисия
	Параметър	Минимално изискване към параметъра			
	Стандарт на факса	Да се специфицира	Communication Super G3, G3 - (opt. 2nd line), Internet Fax T.37, Transmission Speed Approx. 3 seconds per page	съответства	
	Комуникация	Super G3	Super G3	съответства	
	Compression	JBIG,MMR,MR	JBIG,MMR,MR	съответства	
	Network Fax	Да	Да	съответства	
	Минимални изисквания на системата				
	Стандартна памет на системата	≥ 2,0 GB	4 GB	съответства	
	Стандартен хард диск	≥ 250 GB	320 GB	съответства	
	Стандартен интерфейс	10-Base-T/100-Base-T/1000-Base-T Ethernet, USB 2.0	10-Base-T/100-Base-T/1000-Base-T Ethernet, USB 2.0	съответства	
	Мрежови протоколи	TCP/IP (IPv4 / IPv6)	TCP/IP (IPv4 / IPv6)	съответства	
	Листоподавач (ADF)	автоматичен, двустранен, ≥ 100 стр.	автоматичен, двустранен, 100 стр.	съответства	
	Размер на хартията	a5-a3	a5-a3	съответства	
	Тегло на печатаема хартия (g/m ²)	54 - 280	52 - 280	надвишава	
	Входящ капацитет (листи)	≥ 3000	3200	съответства	



ЕВРОПЕЙСКИ СЪЮЗ
ЕВРОПЕЙСКИ
СОЦИАЛЕН

МИНИСТЕРСТВО НА ТРУДА И СОЦИАЛНАТА ПОЛИТИКА
ОПЕРАТИВНА ПРОГРАМА
„РАЗВИТИЕ НА ЧОВЕШКИТЕ РЕСУРСИ“

ОПЕРАТИВНА ПРОГРАМА
РАЗВИТИЕ НА
ЧОВЕШКИТЕ РЕСУРСИ

Пор еден	Спецификации на възложителя		Предложени от участника спецификации (включително марка/модел)	Бележки, коментари относно техническите спецификации	Бележки на оценителната комисия
	Параметър	Минимално изискване към параметъра			
	Касети за хартия - стандарт	касета 1 и 2 : мин 530 sheets, A5-A3, 60- 256g/m, ръчен байпас A5-A6	касета 1 : 550 sheets, A5-A3, 60- 256g/m, касета 2 : 550 sheets, A5- 320x460mm, 60-256g/m, ръчен байпас 110x148mm-320- 460mm	надвишава	
	Допълнителни касети за хартия	касета 3 и 4 : по мин 530 страници A5- A3, 60-256g/m, или една мин 1800 страници поне с 105g/m	касета 3 и 4 : по 550 страници A5- 320x460mm, 60-256g/m, или една 2000 страници с 105g/m	надвишава	
	Автоматичен Дуплекс	A5-A3	A5-305x457mm	надвишава	
	Режими на довършване	създаване на книжки, перфориране, групиране, сортиране	създаване на книжки, перфориране, групиране, сортиране	съответства	
	Изходящ капацитет с финишер	≥ 3000	3250	съответства	
	Изходящ капацитет без финишер	≥ 380	400	съответства	
	Телбодирене	50 листа или 48 листа + 2 корици	50 листа или 48 листа + 2 корици	съответства	
	Перфориращ модул	2 отвора , Формат на Хартията A5-A3	2 отвора , Формат на Хартията A5- A3	съответства	
	Изходящ капацитет след телбодирене	≥ 500	3250	съответства	
	Препоръчителен обем на печат месечно	≥ 60000	60000	съответства	
	Максимален обем на печат (месечно)	≥ 100000	105 000	съответства	
	Брой копия при 5% разход на тонер черно	≥ 29000	38 400	съответства	



ЕВРОПЕЙСКИ СЪЮЗ
ЕВРОПЕЙСКИ
СОЦИАЛЕН

МИНИСТЕРСТВО НА ТРУДА И СОЦИАЛНАТА ПОЛИТИКА
ОПЕРАТИВНА ПРОГРАМА
„РАЗВИТИЕ НА ЧОВЕШКИТЕ РЕСУРСИ“



ОПЕРАТИВНА ПРОГРАМА
РАЗВИТИЕ НА
ЧОВЕШКИТЕ РЕСУРСИ

Пореден номер	Спецификации на възложителя		Предложени от участника спецификации (включително марка/модел)	Бележки, коментари относно техническите спецификации	Бележки на оценителната комисия
	Параметър	Минимално изискване към параметъра			
	Брой копия при 5% разход на тонер цветно	≥ 29000	33 600	съответства	
	Живот на черен барабанен модул	205 000 страници	210 000 страници	надвишава	
	Консумация на енергия	да се специфицира kw/h в режим на работа и „спящ режим“	режим на работа 2kW(220-240V), 0.7kW in supper sleep mode	съответства	
	Размери (WxDxH, mm)	да се специфицира в см	58,5 x 64,0 x 78,7 см	съответства	
	Тегло на системата (kg)	да се специфицира в кг	75,5 кг	съответства	
	Характеристики на системата				
	Сигурност и потребителски опции	защитен принт с парола, сканиране върху паметта на устройството, потребителски акаунти (да се специфицира брой), да се специфицират сертификати за сигурност ISO, SSL	защитен принт с парола, сканиране върху паметта на устройството, потребителски акаунти 10 000, ISO/IEC15408EAL3+, SSL	съответства	
	Отдалечено наблюдение на машината	Да	Да	съответства	
	Консумативи за мин. 30 000 копия (15 000 копия за всяко МФУ), без да се включва хартията и стартовите консумативи.	Да се специфицират вида и количеството на консумативите.	Тонер T-FC505EK - 1 бр за 38 400 копия и по 1 бр T-FC505EY, T-FC505EM, T-FC505EC за 33 600 копия всеки	съответства	
	Гаранционен срок	36 месеца	36 месеца	съответства	



ЕВРОПЕЙСКИ СЪЮЗ
ЕВРОПЕЙСКИ
СОЮЗ

МИНИСТЕРСТВО НА ТРУДА И СОЦИАЛНАТА ПОЛИТИКА
ОПЕРАТИВНА ПРОГРАМА
„РАЗВИТИЕ НА ЧОВЕШКИТЕ РЕСУРСИ“

ОПЕРАТИВНА ПРОГРАМА
РАЗВИТИЕ НА
ЧОВЕШКИТЕ РЕСУРСИ

Пореден номер	Спецификации на възложителя		Предложени от участника спецификации (включително марка/модел)	Бележки, коментари относно техническите спецификации	Бележки на оценителната комисия
	Параметър	Минимално изискване към параметъра			
3	Монохромно МФУ, тип 3 - десктоп, работен формат A4		OKI ES7170 Парт.№ 45387314		
	Производител и марка	Да се специфицира	OKI	съответства	
	Серия и модел	Да се специфицира	ES7170dn	съответства	
	Тип	Монохромно многофункционално устройство	Монохромно многофункционално устройство	съответства	
	Поддържани функции	Принтер, копир, скенер, факс, мрежова връзка	Принтер, копир, скенер, факс, мрежова връзка	съответства	
	Формат	A4	A4	съответства	
	Технология	Лазерен, LED/черно бял	LED/черно бял	съответства	
	Принтер скорост	≥40 стр./минута	52 стр./минута	съответства	
	Време за отпечатване на първа страница	≤ 6 сек.	5 сек.	съответства	
	Принтер резолюция	1200 x1200 dpi	600x600dpi, 1200 x1200 dpi	съответства	
	Скенер	Flatbed, ADF, Duplex ADF scanning; Color Scanning, Scan-to-eMail, Scan to FTP, Scan to USB	Flatbed, ADF, Duplex ADF scanning; Color Scanning, Scan-to-eMail, Scan to FTP, Scan to USB	съответства	
	Резолюция на сканиране	≥600 dpi	600 dpi	съответства	
	Скорост на копиране	40 стр./минута	52 стр./минута	надвишава	
	Резолюция на копиране	≥600 x 600 dpi	600 x 600 dpi	съответства	
	Интерфейс	Hi-Speed USB 2.0, USB Host, Gigabit Ethernet 10/100/1000 base TX	Hi-Speed USB 2.0, USB Host, Gigabit Ethernet 10/100/1000 base TX	съответства	



ЕВРОПЕЙСКИ СЪЮЗ
ЕВРОПЕЙСКИ
СОЦИАЛЕН

МИНИСТЕРСТВО НА ТРУДА И СОЦИАЛНАТА ПОЛИТИКА
ОПЕРАТИВНА ПРОГРАМА
„РАЗВИТИЕ НА ЧОВЕШКИТЕ РЕСУРСИ“



ОПЕРАТИВНА ПРОГРАМА
РАЗВИТИЕ НА
ЧОВЕШКИТЕ РЕСУРСИ

Пор еден	Спецификации на възложителя		Предложени от участника спецификации (включително марка/модел)	Бележки, коментари относно техническите спецификации	Бележки на оценителната комисия
	Параметър	Минимално изискване към параметъра			
	Максимално месечно натоварване	≥ 65 000 копия	200 000 копия	съответства	
	Двустраничен печат	Автоматичен	Автоматичен	съответства	
	Листоподаващо устройство (ADF)	≥50 листа автоматично, двустранично	100 листа автоматично, двустранично	съответства	
	Съвместим с	Windows 7 32/64 bit и по нова	Windows 7 32/64 bit и по нова	съответства	
	Консумативи за мин. 300 000 копия (5 000 копия за всяко МФУ), без да се включва хартията и стартовите консумативи.	Да се специфицират вида и количеството на консумативите.	Консумативи Cartridge Black 45460502 за 2 160 000 копия (36 000 копия за всяко МФУ), без включени хартия и стартови консумативи	съответства	
	Отдалечено наблюдение на машината	Да, да се специфицира	Да, Remote monitoring of the equipment, job status, consumable status, set up user rights, alerts	съответства	
	Гаранционен срок	36 месеца	36 месеца	съответства	
4	Документен Скенер		Fujitsu Fi-7160 Парт.No PA03670-B051		
	Производител и марка	Да се специфицира	Fujitsu	съответства	
	Серия и модел	Да се специфицира	Fi-7160	съответства	
	Тип	За документи	Документен скенер	съответства	
	Скорост на ч/б сканиране едностранно	50 стр. A4 в минута	60 стр. A4 в минута, (200 dpi / 300 dpi)	надвишава	



ЕВРОПЕЙСКИ СЪЮЗ
ЕВРОПЕЙСКИ
СОЮЗ

МИНИСТЕРСТВО НА ТРУДА И СОЦИАЛНАТА ПОЛИТИКА
ОПЕРАТИВНА ПРОГРАМА
„РАЗВИТИЕ НА ЧОВЕШКИТЕ РЕСУРСИ“



ОПЕРАТИВНА ПРОГРАМА
РАЗВИТИЕ НА
ЧОВЕШКИТЕ РЕСУРСИ

Пор еден	Спецификации на възложителя		Предложени от участника спецификации (включително марка/модел)	Бележки, коментари относно техническите спецификации	Бележки на оценителната комисия
	Параметър	Минимално изискване към параметъра			
	Скорост на ч/б сканиране двустранно	100 стр. A4 в минута	120 ipm, (200 dpi / 300 dpi)	надвишава	
	Скорост на цветно сканиране едностранно	50 стр. A4 в минута	60 стр. A4 в минута, (200 dpi / 300 dpi)	надвишава	
	Скорост на цветно сканиране двустранно	100 стр. A4 в минута	120 ipm, (200 dpi / 300 dpi)	надвишава	
	Двустранно сканиране	Автоматично с еднопосово сканиране	Автоматично с еднопосово двустранно сканиране	съответства	
	Размер на хартията	A4	A4	съответства	
	Оптична резолюция	600 dpi	600 dpi	съответства	
	USB интерфейс тип	2.0/3.0 (High Speed)	USB 3.0 (backward compatible)	съответства	
	Изходен формат на сканиране	JPEG, PDF, TIFF, BMP, GIF, PDF (стандартен и с възможност за търсене)	Scan to PDF, PDF/A, PDF with OCR, TIFF Group 4, Multipage TIFF, JPEG, BMP with a single click. (стандартен и с възможност за търсене)	съответства	
	Софтуер	Поддржане на TWAIN и ISIS DRIVER	поддържа PaperStream IP (TWAIN/ISIS) Driver	съответства	
	Автоматично подаване на хартия	за мин. 70 листа	80 страници	надвишава	
	Натоварване	3000 стр. на ден	4000 стр. на ден	надвишава	



ЕВРОПЕЙСКИ СЪЮЗ
ЕВРОПЕЙСКИ
СОЮЗ

МИНИСТЕРСТВО НА ТРУДА И СОЦИАЛНАТА ПОЛИТИКА
ОПЕРАТИВНА ПРОГРАМА
„РАЗВИТИЕ НА ЧОВЕШКИТЕ РЕСУРСИ“

ОПЕРАТИВНА ПРОГРАМА
РАЗВИТИЕ НА
ЧОВЕШКИТЕ РЕСУРСИ

Пореден номер	Спецификации на възложителя		Предложени от участника спецификации (включително марка/модел)	Бележки, коментари относно техническите спецификации	Бележки на оценителната комисия
	Параметър	Минимално изискване към параметъра			
	Съвместим с	Windows 7/8/8.1/10 (32/64 bit)	Windows® 10 (32-bit/64-bit), Windows® 8 / 8.1 (32-bit/64-bit), Windows® 7 (32-bit/64-bit), Windows Vista® (32-bit/64-bit), Windows XP® (32-bit/64-bit), Windows Server® 2012 (64-bit), Windows Server® 2012 R2 (64-bit), Windows Server® 2008 (32-bit/64-bit), Windows Server® 2008 R2 (64-bit)	съответства	
	Гаранционен срок	36 месеца	36 месеца	съответства	

ДАТА: 19.10.2016 г.

ПОДПИС И ПЕЧАТ:

Елизабета Башева
(име и фамилия)
Упълномощен представител
(длъжност на представляващия участник)

Участниците попълватният формуляра както следва:

- Колоната „Спецификации“ показва изискваните спецификации.
- Колоната „Предложени спецификации“ трябва да бъде попълнена от участника и трябва да съдържа детайлно описание/детайлни технически спецификации на това което се оферира/предлага (например думите „отговаря“ или „да“ не са достатъчни);
- Колоната „Бележки, коментари относно техническите спецификации“ може да бъде използвана от участника за да направи коментар/и относно предложеното оборудване, както и препратки към документацията;
- Колоната „Бележки на оценителната комисия“ трябва да бъде оставена празна (за да бъде използвана от оценителите).

Оферта, която не позволява на оценителите точно да определят модела/ите и спецификацията/ите може да бъде отхвърлена.
Офертата трябва да бъде достатъчно ясна, за да позволи на оценителите да направят лесно сравнение между изискваните и предложените спецификации.



ЕВРОПЕЙСКИ СЪЮЗ
ЕВРОПЕЙСКИ
СОЦИАЛЕН ФОНД

МИНИСТЕРСТВО НА ТРУДА И СОЦИАЛНАТА ПОЛИТИКА
ОПЕРАТИВНА ПРОГРАМА
„РАЗВИТИЕ НА ЧОВЕШКИТЕ РЕСУРСИ“



ВАЖНО: Участниците описват офериранияте от тях артикули, включително: марка, модел, подробни технически спецификации и гаранционен срок. Офериранияте от участниците артикули следва да покриват минималните технически изисквания и гаранционен срок, посочени в техническата спецификация от документацията за участие, че участник оферира артикули, които не покриват минималните технически изисквания и гаранционен срок, посочени в техническата спецификация от документацията за участие, той ще бъде отстранен от участие в процедурата. В техническата оферта на участниците следва да се съдържаат всички артикули, изброени в техническата спецификация от документацията за участие. Участниците могат да предложат в своята оферта техника с по-добри технически показатели.



Документация (листове с технически данни/технически характеристики, брошури, сертификати и др.), която позволява оценка на съответните параметри

e-STUDIO5508A


e-STUDIO6508A

e-STUDIO7508A

e-STUDIO8508A

Datasheet

- > High-volume A3 multifunctional systems with impressive monochrome document output at a speed of up to 85 ppm.
- > Fully customisable user interface and support of cloud and mobile printing to give you the flexibility you need in today's business world.
- > All models feature a Dual Scan Document Feeder with a paper capacity of up to 300 sheets as standard to process documents at a speed of up to 240 ipm.




Toshiba's latest series delivers on our promise of Together Information - our commitment to collaborate with clients to provide tailor-made, effective solutions to meet your print, document management, and content needs, while also helping you to meet your green objectives.

While distributing information, high flexibility is required. Which information should be printed and where should it be saved. The optional e-BRIDGE Plus connectors for OneDrive, Google Drive and Dropbox offer direct access to these cloud services. So documents can be sent directly from the MFP to the service selected or printed on the selected service.

All e-BRIDGE Next models fulfill highest security standards to protect your data from unwanted access. The new e-BRIDGE Next generation offer numerous options for an effective data protection.

The Toshiba Secure HDD is standard for all e-BRIDGE Next models and works with a 256-bit AES encryption, guaranteeing your data stays safe.



SPECIFICATIONS

General

Print & Copy Speed	55/65/75/85 ppm (A4) 27/30/37/40 ppm (A3)
Warm-up Time	Approx. 15 seconds from low power mode
Paper Size & Weight	Cassettes: A5R-320 x 460 mm, 60-256 g/m ² Tandem LCF: A4, 60-256 g/m ² Bypass: 100 x 148 mm-330 x 483 mm, 60-300 g/m ² , banner paper (up to 313.4 x 1,200 mm, 90-163 g/m ²)
Paper Capacity	2 x 540 sheets (Cassettes) + 1 x 2,320 sheets (Tandem LCF), 1 x 120 sheets (Bypass) Maximum 6,020 sheets
Automatic Duplex	A5R-320 x 460 mm, 60-256 g/m ²
Controller Type	Toshiba e-BRIDGE
Control Panel	22.9 cm (9") Multi-Touch Colour Panel
Memory	Toshiba Secure HDD 320 GB ²⁾ , 4 GB RAM
Interface	10Base-T/100Base-TX/1000Base-T, High Speed USB 2.0, WLAN ¹⁾ (IEEE802.11b/g/n), Bluetooth ¹⁾ , WiFi Direct ¹⁾
Dimensions & Weight	955 x 698 x 1,227 mm (W x D x H), 195 kg
Starter Kit	Drum, developer, waste toner box

Print

Resolution	600 x 600 dpi, 2,400 x 600 dpi with smoothing 1,200 x 1,200 dpi (2 bit, PostScript driver only), 3,600 x 1,200 dpi with smoothing (PostScript driver only)
Page Description Language	PCL5e, PCL5c, PCL6 (PCL XL), XPS and PostScript 3 compatible
Supported Systems	Windows 10/8/7/Vista/Server 2008 (32/64 bit), Windows Server 2012/Server 2008 R2 (64 bit), Mac OS X 10.6.8-10.11, Linux/Unix, Citrix, Novell NetWare (NDPS), SAP, AS/400
Network Protocols	TCP/IP (IPv4/IPv6), IPX/SPX, EtherTalk, NetBios over TCP/IP
Mobile Printing	e-BRIDGE Print & Capture, AirPrint, Mopria Print Service, Google Cloud Print
Print Functions	Universal Printer Driver, Driver Templates, Print from USB, Hold print, Tandem printing

Scan

Resolution	Maximum 600 x 600 dpi
Scan Speed	Dual Scan Document Feeder: up to 240 ipm (300 dpi) in colour and monochrome
Scan Modes	Auto-Colour (ACS), Colour, Greyscale, Monochrome
File Formats	JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PDF, PDF/A, Searchable PDF ¹⁾ (and other formats like DOCX, XLSX, RTF, TXT) ¹⁾
Scan Functions	WS Scan, Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP, FTPS, IPX/SPX, Local), Meta Scan ¹⁾ , OCR Scan ¹⁾ , Scan to Box (e-Filing), WIA, TWAIN

Copy

Resolution	Scan: 600 x 600 dpi Print: 600 x 600 dpi, 2,400 x 600 dpi with smoothing
First Copy Output Time	Approx. 5.2/5.2/4.5/4.1 seconds
Zoom	25-400% (Platen), 25-200% (DSDF)
Copy Modes	Text, Text/Photo, Photo, Custom
Copy Functions	Electronic Sort, Rotate Sort, Edge Erase, 2-in-1 / 4-in-1 mode

Fax¹⁾

Communication	Super G3, G3 - (opt. 2 nd line), Internet Fax T.37
Transmission Speed	Approx. 3 seconds per page
Compression	JBIG, MMR, MR, MH
Fax Memory	1 GB (HDD) Transmission/Reception
Network-Fax	Driver for Windows 10/8/7/Vista/Server 2008 (32/64 bit), Server 2012/Server 2008 (64 bit)
Incoming Fax Routing	To shared folders (SMB, FTP, IPX/SPX), E-Mail, e-Filing


System & Security

Device Management	e-BRIDGE Fleet Management System ¹⁾ , Top Access for remote administration and configuration
System Features	e-Filing document server for secure storage, Document distribution and Print-on-Demand (1 public box, 200 user boxes), 12,060 one-touch templates for storage of personalised settings or workflows, Scan/Fax Preview, Rip-while-Print, e-BRIDGE Open Platform ¹⁾ , Embedded Web Browser, Job Skip
Accounting & Security	Role Based Access, LDAP support, 1,000 depart- ment & 10,000 user codes, Card Reader ¹⁾ , Private print, Standard data encryption with Toshiba Secure HDD, Data Overwrite Enabler ¹⁾ , IP and MAC address filter, Port filter, Support of SSL and IPsec ¹⁾ protocols, IEEE802.1x support, IEEE2600.1 compliant ¹⁾ , Scan to Secure PDF



¹⁾ Optional

²⁾ 1 GB = 1 billion bytes; the actual formatted capacity is less.
Available capacity will also be less if software applications are pre-installed.



OPTIONS

EXTERNAL LARGE CAPACITY FEEDER – MP-2502A 2,500-sheets capacity, A4, 60-256 g/m²

MULTI-STAPLE FINISHER – MJ-1111 2 trays, 3,250-sheet capacity
50-sheet multi-position stapling
A4R-A3, 60-105 g/m² (stapling mode)

SADDLE-STITCH FINISHER – MJ-1112 2 trays, 3,250-sheet capacity
50-sheet multi-position stapling
5-sheet center folding
Saddle-stitched booklets of up to 60 pages
A4R-A3, 60-105 g/m² (stapling mode)

HOLE PUNCH UNIT – MJ-6106E/ MJ-6106F/ MJ-6106S Available in 2 holes (E), 4 holes (F), 4 holes (S)

SIDE EXIT TRAY – KA-6551-ET

FAX BOARD – GD-1370EU

WIRELESS LAN / BLUETOOTH MODULE (incl. WiFi Direct) – GN-4020

e-BRIDGE ID-GATE – TWN3/4

HARD DISK DRIVE 320 GB¹⁾ (FIPS 140-2 STANDARD) – GE-1230

ACCESSORY TRAY – GR-1250

PANEL TEN-KEY OPTION – GR-1260

DATA OVERWRITE ENABLER – GP-1070

IPsec ENABLER – GP-1080

EMBEDDED OCR ENABLER – GS-1080, GS-1085

MULTI-STATION PRINT ENABLER – GS-1090, GS-1095

META SCAN ENABLER – GS-1010

UNICODE FONT ENABLER – GS-1007

ACCESSIBLE ARM – KK-2560


CONFIGURATION



Saddle-Stitch Finisher



Staple Finisher



Side Exit Tray

Hole Punch Unit



Accessible Arm




Accessory Tray



Panel Ten-Key



Manual Pocket



[Handwritten signature]

About Toshiba Tec

Toshiba Tec Germany Imaging Systems GmbH is part of the globally operating Toshiba Tec Corporation, active in various high-tech industrial sectors.

Toshiba Tec Corporation is a leading provider of information technology, operating across multiple industries - ranging from retail, education and business services to hospitality and manufacturing. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage, and display information.

For more information please contact us:

Toshiba Tec Germany Imaging Systems GmbH

Carl-Schurz-Str. 7
41460 Neuss
Germany

Telephone

+49 2131-1245-0

Fax

+49 2131-1245-402

Website

<https://www.toshibatec.eu>

Together Information is Toshiba's vision for how people and organisations create, record, share, manage and display ideas and data.

It is based on our belief that the most successful organisations are those that communicate information in the most efficient way.

We make that possible through an integrated portfolio of industry specific solutions, all of which reflect Toshiba's commitment to the future of the planet.




Technical data is subject to change without prior notice. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. All rights reserved. We are constantly making efforts to deliver the latest status of data to our partners. Specifications for some models may change in the time between the production and the release of this documentation. Copyright ©2016 Toshiba Tec.
Datasheet_e-STUDIO8508A_series_GBIDD_201607



Mixed Sources
Product group from well-managed forests
and other controlled sources
www.fsc.org Cert no. TC-COC-1504
©2016 Forest Stewardship Council

Превод от английски език



ДЕКЛАРАЦИЯ

Ние, Toshiba Tec Germany Imaging Systems GmbH, с настоящото потвърждаваме следните техническите данни за Toshiba система e-STUDIO5508A:

Брой копиране	1-9999
Изходен капацитет след заскобване (Устройство за уплътняване – 50 листа)	3 250 листа
Скорост при дуплекс печат А4	27 ppm
Черно-бяла скала	256 нива
Капацитет на странична изходна тава	500 листа
Препоръчителен цикъл на натоварване	280 000 страници
Максимален месечен обем копиране	520 000 страници
Живот на черен тонер при 5% покритие	106 600 страници
Живот на барабана	520 000 страници
Консумация на енергия	Максимум 2kW (220-240V), 0.7kW в режим изчакване
Сигурност	ISO/IEC 15408-EAL3+, SSL

(подпис – не се чете)

Кармен Щьоклер

Старши мениджър Маркетинг Комуникации
Отдел Международно разпространение

(подпис – не се чете)

Магдалена Радю

Специалист Управление на продукти
Отдел Международно разпространение

**TOSHIBA TEC GERMANY
IMAGING SYSTEMS GMBH**

CARL-SCHURZ-STRASSE 7 • D-41460 NEUSS
POSTFACH 10 16 64 • D-41416 NEUSS
TEL. +49(0)2131-12450, FAX +49(0)2131-1245402


TOSHIBA




Leading Innovation >>>

Долуподписаната Валентина Новакова, удостоверявам верността на настоящия превод от английски на български език на приложния документ - [Toshiba e-STUDIO5508A – 1 стр]

Преводът се състои от 1 (една) страница.

Заклет преводач: Валентина Новакова Новакова





DECLARATION

We, Toshiba Tec Germany Imaging Systems GmbH, hereby confirm the following specifications for the Toshiba system e-STUDIO5508A:

Multiple Copy quantity	1 - 9,999
Output capacity after stapling (Saddlestich Finisher-50 sheets)	3,250 sheets
Speed of duplex printing A4	27 ppm
Gray scale	256 levels
Capacity of side exit tray	500 sheets
Recommended Duty Cycle	280,000 pages
Maximum Monthly Copy Volume	520,000 pages
Black Toner lifetime at 5% coverage	106,600 pages
Drum Lifetime	520,000 pages
Energy Consumption	maximum 2.4kW (220-240V), 0.7kW in super sleep mode
Security	security ISO/IEC15408EAL3+, SSL

i.V. Carmen Stöckler

i.V. Carmen Stöckler
Senior Manager Marketing Communications
International Distribution Division

i.A. Magdalena Radu

i.A. Magdalena Radu
Specialist Product Management
International Distribution Division

**TOSHIBA TEC GERMANY
IMAGING SYSTEMS GMBH**


CARL-SCHURZ-STRASSE 7 · D-41460 NEUSS
POSTFACH 10 16 64 · D-41416 NEUSS
TEL. +49(0)2131-12450, FAX +49(0)2131-1245402

TOSHIBA
Leading Innovation >>>

e-STUDIO2505AC
e-STUDIO3005AC
e-STUDIO3505AC
e-STUDIO4505AC
e-STUDIO5005AC

Datasheet

- > Toshiba's state-of-the-art multifunctional A3 colour systems, with impressive features for outstanding document output at a speed of up to 50 ppm.
- > The tablet-like user interface not only makes the systems intuitive to use, it can also be customised according to individual preferences.
- > Designed for modern office environments, the e-STUDIO5005AC series is ready for mobile printing.




Every industry has unique workflow needs. Toshiba has developed customisable MFPs to make your job easier. Intuitive and smartly integrated, our products simplify complex tasks and give you control while providing the reliability Toshiba is known for.

It's important that an MFP is powerful, reliable, and efficient. Combine this with brilliant colours and you have even more ways to make your documents impactful.

Advanced Toshiba e-BRIDGE controller technology for high-quality document output in colour and mono-chrome with a resolution of up to 1,200 dpi x 1,200 dpi.

Mobile printing is important and Toshiba's new systems give you full flexibility to do so. All models can easily connect to mobile devices via AirPrint, Google Cloud Print, or the Mopria Print Service.



**TOGETHER
INFORMATION**

SPECIFICATIONS

General

Print & Copy Speed	25/30/35/45/50 ppm (A4) 15/16/18/22/25 ppm (A3)
Warm-up Time	Approx. 12 seconds from low power mode
Paper Size & Weight	Cassette 1: A5R-A3, 60-256 g/m ² Cassette 2: A5R-320 x 460 mm, 60-256 g/m ² Bypass: 100 x 148 mm - 320 x 460 mm, 52-280 g/m ² , banner paper (up to 305 x 1,200 mm, 90-163 g/m ²)
Paper Capacity	2 x 550 sheets (Cassettes), 1 x 100 sheets (Bypass) Maximum 3,200 sheets
Inner Output Tray	400-sheet capacity
Automatic Duplex	A5R-305 x 457 mm, 60-256 g/m ²
Controller Type	Toshiba e-BRIDGE
Control Panel	22.9 cm (9") Multi-Touch Colour Panel
Memory	Toshiba Secure HDD 320 GB ²⁾ , 4 GB RAM
Interface	10Base-T/100Base-TX/1000Base-T, High Speed USB 2.0, WLAN ¹⁾ (IEEE802.11b/g/n), Bluetooth ¹⁾ , WiFi Direct ¹⁾
Dimensions & Weight	585 x 640 x 787 mm (W x D x H), ~ 75.5 kg
Starter Kit	Toner, drum, developer, waste toner box

Print

Resolution	600 x 600 dpi, 1,200 x 1,200 dpi (2 bit, PostScript driver only), 3,600 x 1,200 dpi with smoothing (PostScript driver only, monochrome)
Page Description Language	PCL5e, PCL5c, PCL6 (PCL XL), XPS and PostScript 3 compatible
Supported Systems	Windows 10/8/7/Vista/Server 2008 (32/64 bit), Windows Server 2012/Server 2008 R2 (64 bit), Mac OS X 10.6.8-10.11, Linux/Unix, Citrix, Novell NetWare (NDPS), SAP, AS/400
Network Protocols	TCP/IP (IPv4/IPv6), IPX/SPX, EtherTalk, NetBios over TCP/IP
Colour Modes	Auto-Colour (ACS), Colour, Twin Colour, Monochrome
Colour Settings	ICC profile colour management, RGB substitution, Brightness, Saturation, Contrast, Colour Balance
Mobile Printing	e-BRIDGE Print & Capture, AirPrint, Mopria Print Service, Google Cloud Print
Print Functions	Universal Printer Driver, Driver Templates, Print from USB, Hold print, Tandem printing

Scan

Resolution	Maximum 600 x 600 dpi
Scan Speed	Reversing Automatic Document Feeder ¹⁾ : up to 73 ipm (300 dpi) in colour and monochrome Dual Scan Document Feeder ¹⁾ : up to 240 ipm (300 dpi) in colour and monochrome
Scan Modes	Auto-Colour (ACS), Colour, Greyscale, Monochrome
File Formats	JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PDF, PDF/A, Searchable PDF ¹⁾ (and other formats like DOCX, XLSX, RTF, TXT) ¹⁾
Scan Functions	WS Scan, Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP, FTPS, IPX/SPX, Local), Meta Scan ¹⁾ , OCR scan ¹⁾ , Scan to Box (e-Filing), WIA, TWAIN

Copy

Resolution	Scan: 600 x 600 dpi Print: 600 x 600 dpi, 2,400 x 600 dpi with smoothing
First Copy Output Time	Colour: Approx. 7.8/7.8/7.8/5.7/5.7 seconds Monochrome: Approx. 5.9/5.9/5.9/4.4/4.4 seconds
Zoom	25-400% (Platen), 25-200% (RADF/DSDF) ¹⁾
Copy Modes	Text, Text/Photo, Photo, Printed Image, Map, Image Smoothing
Colour Modes	Auto-Colour (ACS), Full Colour, Twin Colour, Mono Colour, Monochrome
Colour Settings	Hue, Saturation, Colour Balance, RGB adjustment 5 one-touch modes
Copy Functions	Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1 / 4-in-1 mode

Fax¹⁾

Communication	Super G3, G3 - (opt. 2 nd line), Internet Fax T.37
Transmission Speed	Approx. 3 seconds per page
Compression	JBIG, MMR, MR, MH
Fax Memory	1 GB Transmission/Reception
Network-Fax	Driver for Windows 10/8/7/Vista/Server 2008 (32/64 bit), Server 2012/Server 2008 R2 (64 bit)
Incoming Fax Routing	To shared folders (SMB, FTP, IPX/SPX), E-Mail, e-Filing

System & Security


Device Management	e-BRIDGE Fleet Management System ¹⁾ , Top Access for remote administration and configuration
System Features	e-Filing document server for secure storage, Document distribution and Print-on-Demand (1 public box, 200 user boxes), 12,060 one-touch templates for storage of personalised settings or workflows, Scan/Fax Preview, Rip-while-Print, e-BRIDGE Open Platform ¹⁾ , Embedded Web Browser, Job Skip
Accounting & Security	Role Based Access, LDAP support, 1,000 depart- ment & 10,000 user codes, Card Reader ¹⁾ , Private Print, Standard data encryption with Toshiba Secure HDD, Data Overwrite Enabler ¹⁾ , IP and MAC address filter, Port filter, Support of SSL and IPsec ¹⁾ protocols, IEEE802.1x support, IEEE2600.1 compliant ¹⁾ , Scan to Secure PDF



¹⁾ Optional

²⁾ 1 GB = 1 billion bytes; the actual formatted capacity is less.


Available capacity will also be less if software applications are pre-installed



OPTIONS

REVERSING AUTOMATIC DOCUMENT FEEDER – MR-3031	100-sheet capacity, A5R-A3, 35-157 g/m ²	PLATEN COVER – KA-5005PC
DUAL SCAN DOCUMENT FEEDER – MR-4000	300-sheet capacity, A5R-A3, 35-209 g/m ²	DESK – MH-5005
PAPER FEED PEDESTAL – KD-1058	550-sheet capacity (1 Cassette), A5R-320 x 460 mm, 60-256 g/m ²	JOB SEPARATOR – MJ-5015
DRAWER MODULE – MY-1048	For Paper Feed Pedestal 550-sheet capacity (1 Cassette) A5R-320 x 460 mm, 60-256 g/m ²	FAX BOARD – GD-1370EU
ENVELOPE DRAWER – MY-1049 (can also be used for normal paper)	For Paper Feed Pedestal or 2 nd cassette Envelopes: 50-envelope capacity, 100 x 162 mm - 240 x 380 mm, 60-85 g/m ² Paper: 550-sheet capacity (1 Cassette), A5R-A4R, 60-256 g/m ²	WIRELESS LAN / BLUETOOTH MODULE (incl. WiFi Direct) – GN-4020
LARGE CAPACITY FEEDER – KD-1059A4	2,000-sheet capacity, A4, 64-105 g/m ²	e-BRIDGE ID-GATE – TWN3/4
INNER FINISHER – MJ-1042	2 trays, 600-sheet capacity 50-sheet multi-position stapling A4R-A3, 60-105 g/m ² (stapling mode)	HARD DISK DRIVE 320 GB²⁾ (FIPS 140-2 STANDARD) – GE-1230
MULTI-STAPLE FINISHER – MJ-1109	2 trays, 2,250-sheet capacity 50-sheet multi-position stapling A4R-A3, 60-105 g/m ² (stapling mode)	ACCESSORY TRAY – GR-1250
SADDLE-STITCH FINISHER – MJ-1110	2 trays, 3,250-sheet capacity 50-sheet multi-position stapling 5-sheet center folding Saddle-stitched booklets of up to 60 pages A4R-A3, 60-105 g/m ² (stapling mode)	PANEL TEN-KEY OPTION – GR-1260
HOLE PUNCH UNIT – MJ-6011E/MJ-6011F/MJ-6011S, MJ-6105E/MJ-6105F/MJ-6105S	Available in 2 holes (E), 4 holes (F), 4 holes (S)	WORK TRAY – KK-5005
		DATA OVERWRITE ENABLER – GP-1070
		IPsec ENABLER – GP-1080
		HARDCOPY SECURITY PRINTING KIT – GP-1190A
		EMBEDDED OCR ENABLER – GS-1080, GS-1085
		MULTI STATION PRINT ENABLER – GS-1090, GS-1095
		META SCAN ENABLER – GS-1010
		UNICODE FONT ENABLER – GS-1007
		ACCESSIBLE ARM – KK-2560

CONFIGURATION



About Toshiba Tec

Toshiba Tec Germany Imaging Systems GmbH is part of the globally operating Toshiba Tec Corporation, active in various high-tech industrial sectors.

Toshiba Tec Corporation is a leading provider of information technology, operating across multiple industries - ranging from retail, education and business services to hospitality and manufacturing. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage, and display information.

For more information please contact us:

Toshiba Tec Germany Imaging Systems GmbH

Carl-Schurz-Str. 7
41460 Neuss
Germany

Telephone

+49 2131-1245-0

Fax

+49 2131-1245-402


Website

<https://www.toshibatec.eu>

Together Information is Toshiba's vision for how people and organisations create, record, share, manage and display ideas and data.

It is based on our belief that the most successful organisations are those that communicate information in the most efficient way.

We make that possible through an integrated portfolio of industry specific solutions, all of which reflect Toshiba's commitment to the future of the planet.




Technical data is subject to change without prior notice. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. All rights reserved. We are constantly making efforts to deliver the latest status of data to our partners. Specifications for some models may change in the time between the production and the release of this documentation. Copyright ©2016 Toshiba Tec.
Datasheet_e-STUDIO5005AC_series_GBIDD_201608



Mixed Sources
Product group from well-managed forests
and other controlled sources
www.fsc.org Cert. No. TT-COC-1554
© 1996 Forest Stewardship Council

Превод от английски език



ДЕКЛАРАЦИЯ

Ние, Toshiba Tec Germany Imaging Systems GmbH, с настоящото потвърждаваме следните техническите данни за Toshiba система e-STUDIO3505AC:

Брой копиране	1-999
Изходен капацитет след заскобване (Устройство за заскобване – 50 листа)	3 250 листа
Препоръчителен цикъл на натоварване	60 000 страници
Максимален месечен обем копиране	105 000 страници
Живот на черен тонер при 5% покритие	38 400 страници
Живот на цветни тонери при 5% покритие	33 600 страници
Живот на цветни тонери при 5% покритие (CMY)	33 600 страници
Живот на барабана	210 000 страници
Консумация на енергия	Максимум 2kW (220-240V), 0.7kW в режим изчакване
Сигурност	ISO/IEC 15408-EAL3+, SSL

(подпис – не се чете)

Кармен Щьоклер
Старши мениджър Маркетинг Комуникации
Отдел Международно разпространение

(подпис – не се чете)


Магдалена Раду
Специалист Управление на продукти
Отдел Международно разпространение




TOSHIBA TEC GERMANY IMAGING SYSTEMS GMBH

CARL-SCHURZ-STRASSE 7 • D-41460 NEUSS
POSTFACH 10 16 64 • D-41416 NEUSS
TEL +49(0)2131-12450, FAX +49(0)2131-1245402

TOSHIBA
Leading Innovation >>>

Долуподписаната Валентина Новакова, удостоверявам верността на настоящия превод от английски на български език на приложения документ - [Toshiba e-STUDIO3505AC – 1 стр].
Преводът се състои от 1 (една) страница.
Заклет преводач: Валентина Новакова Новакова






DECLARATION

We, Toshiba Tec Germany Imaging Systems GmbH, hereby confirm the following specifications for the Toshiba system e-STUDIO3505AC:

Multiple Copy quantity	1 - 999
Output capacity after stapling (Staple Finisher-50 sheets)	3,250 sheets
Recommended Duty Cycle	60,000 pages
Maximum Monthly Copy Volume	105,000 pages
Black Toner lifetime at 5% coverage	38,400 pages
Color Toners lifetime at 5% coverage (CMY)	33,600 pages
Drum Lifetime	210,000 pages
Energy Consumption	maximum 2kW (220-240V), 0.7kW in super sleep mode
Security	ISO/IEC15408-EAL3+, SSL

i.V. Carmen Stöckler
Senior Manager Marketing Communications
International Distribution Division


i.A. Magdalena Radu
Specialist Product Management
International Distribution Division



**TOSHIBA TEC GERMANY
IMAGING SYSTEMS GMBH**

CARL-SCHURZ-STRASSE 7 · D-41460 NEUSS
POSTFACH 10 16 64 · D-41416 NEUSS
TEL +49(0)2131-12450, FAX +49(0)2131-1245402

TOSHIBA
Leading Innovation >>>



Enterprise class multifunction printer with seamless document workflow integration

By combining print, copy, scan and optional fax in one high speed, ergonomic device, the ES7170 MFP offers the tools you need to ensure the efficient use of resources within your organisation. Through the use of OKI's smart Extendable Platform (sXP) the ES7170 MFP offers efficient and secure document management and output.

Low cost, high value productivity

Robust and efficient, the ES7170 MFP has been designed to deliver an extensive range of high value features as standard to improve productivity.

- Up to 52ppm print speed in mono
- Paper capacity of up to 3,160 sheets
- 100 sheet RADF for fast scanning of double sided documents
- Built-in convenience stapler
- Internal finisher for collating and stapling (ES7170dfn MFP)
- 1.2GHz processor and 2GB RAM memory
- Standard 160GB HDD
- 10/100/1000 baseT Ethernet

Highly configurable

Thanks to sXP, the ES7170 MFP provides the configuration flexibility required to meet your current and future business needs.

- 3rd party software connectivity for seamless network integration
- Customisable 23cm backlit colour LCD touch screen

Highest level document output security

Including security and encryption to the highest industry standards, the ES7170 MFP provides sophisticated user authentication that prevents unauthorised access and protects your corporate data, whilst user access can be customised, allowing you to enable or disable functions easily.

- Secure print job encryption
- SNMPv3 and optional IPSec secure networking
- PIN/IC Card/LDAP/Kerberos access control
- Secure print with PIN or with optional card reader (MIFARE /HID)

High definition LED scanning

For high definition scanning, the ES7170 MFP combines advanced LED technology with a full range of features that improve productivity and document workflow.

- Fast scan speeds of up to 55ipm
- Duplex scanning
- Scan to filing box, scan to shared folder, scan to email, scan to USB memory
- Blank page skipping

Clear and sharp copying


The ES7170 MFP combines advanced LED technology with a full range of features that improve productivity and document workflow.

- Fast copy speeds of up to 52ppm
- ID Card copy, repeat copy, job build copy
- Duplex copying (1 to 2, 2 to 1, 2 to 2)
- Job Macro stores frequent tasks

Reducing your impact on the environment

The ES7170 MFP is a full LED A4 large workgroup MFP which reduces energy usage and cost.

- Duplex print, copy and fax for reduced paper usage
- High capacity toner cartridges
- Toner save function
- 2W or less in Deep Sleep mode
- Energy Star certified



ES7170 MFP - Mono Multifunction Product

PRINT	
A4 Print speed	52ppm
Time to first print	5 seconds
Warm up time	35 seconds or less from power on, 19 seconds or less from power save
Processor speed	1.2GHz
Resolution	600 x 600dpi, 1200 x 1200dpi
Printer fonts	Scalable: 80 PCL fonts & 138 PostScript fonts
SCAN	
Resolution	Up to 600 x 600dpi
Speed	Up to 40ipm/55ipm (Colour/Mono)
Colour depth	Output 24 bit (8 bit x 3 RGB)
Document input	Up to 100 sheet Reverse-Automatic Document Feeder (RADF)
Contrast	9 Levels
Format	JPEG, TIFF (multi/single page), PDF (multi/single page), Slim PDF, Secure PDF, XPS (multi/single page)
Address book	LDAP & internal address book
Scan to	SMB, FTP, FTPS, Netware, FilingBox, USB Memory, E-mail
COPY	
First copy out	8 seconds
Speed	52ppm
Resolution	600dpi
Reduction / Enlargement	25-400%
Maximum copies	999
FAX	
Connectivity	RJ11 x 2 (Line/Tel), PSTN, PBX Line
Speed	ITU-T G3(Super G3) up to 33.6kbps, 3 seconds/page
Internet faxing	ITU-T T.37
Fast dialing	Address book up to 3000 numbers
Groups	Up to 200
Broadcast	Maximum 400
Page memory	100 jobs, 1000 pages/job, and up to 1GB on HDD
INTERFACE AND SOFTWARE	
Connectivity	10/100/1000 baseT, USB 2.0/ Hi Speed USB, Optional Wireless (802.11 b/g)
Embedded Open Platform	SXP (Smart Extendable Platform)
Printer languages	PCL5e, PCL6, Postscript 3 Emulation, PDF emulation, XPS
Network & protocols	All major network protocols supported via ethernet card with internal web server for printer and network card set-up and management. TCP/IP v4&v6, SMTP, POP3, HTTP, SNMP v1&v3, DHCP, DNS, LPR, Port9100, ARP, FTP, SMB, LDAP, Bonjour, NetWare, EtherTalk, LLTD, Web Service for Devices
OS Compatibility ¹	Windows 8 (32-bit & 64-bit) / Windows 7 (32-bit & 64-bit) / Vista SP1 & SP2 (32-bit & 64-bit) / XP SP2 or later / Server 2008 SP1 or later (32-bit & 64-bit) / Server 2003 SP2 (32-bit & 64-bit) / Server 2008 R2 (64-bit) / Server 2012 (64-bit); Mac OS X 10.4/10.5/10.6/10.7/10.8; PPDs for Linux/Unix
Utility suite ¹	File Downloader, Address Book Viewer, Remote Scan Driver, e-Filing Backup/Restore, Print Job Accounting ² , Print Job Accounting Enterprise ³ , PrintSuperVision.NET ³ , Output Manager, Fleet Manager, Template Manager ³
SECURITY	
Device Security	IP Filtering, MAC Filtering, IPSec (option), Secure Print, Secure Print job encryption (by secure HDD), SMTP server authentication, POP before SMTP authentication, SSL Security for SMTP Protocol, SNMPv3, SSL/TLS Encryption, Port Change, Storage Device Encryption, Secure Erase, Disable Host USB feature
Access Security	LDAP authentication
Certification	CE Mark, Energy Star, GS Mark
OPERATOR PANEL	
User Interface	23cm Colour backlit LCD touch screen & key top; 28 Hard Keys, 6 LED's
Key pad	12 numeric, 6 main function buttons (Menu, Copy, Scan, Print, FilingBox, Fax), Power, Power save, Reset, Stop, Start Key, Setting, Interrupt, Counter Key, Authentication, Clear Key

PAPER HANDLING	
Standard Paper capacity	Tray 1: 530 sheets of 80gsm; Multi-purpose tray: 100 sheets of 80gsm; RADF: 100 sheets of 80gsm
Optional Paper capacity	Tray 2: 530 sheets of 80gsm; Tray 3: 530 sheets of 80gsm; Tray 4: 530 sheets of 80gsm; Large Capacity Feeder (LCF): 2,000 sheets of 80gsm
Paper Input capacity	Standard: Up to 630 sheets of 80gsm; Maximum: Up to 3,160 sheets of 80gsm
Internal finisher	Internal finisher: Offset stacking, stapling - up to 50 sheets of 80gsm (standard on dfn model); Convenience stapler: Stapling - up to 20 sheets of 80gsm
Paper sizes	Tray 1: A4, A5, B5; Tray 2/3/4: A4, A5, B5; Large Capacity Feeder: A4; Multi-purpose tray: A4, B5, A5, A6, Envelopes (Com-9, Com10, DL, C5), Labels (Avery 7162, 7664, 7666). Support Custom size: Width 64-216mm Length 127-1321mm; RADF: A4, A5, A6(simplex), B5; Duplex: A4, A5, B5. Supports custom size: Width 148.5-216mm Length: 210-356mm
Paper weight	Tray 1: 64 to 220gsm; Tray 2/3/4: 64 to 220gsm; Large Capacity Feeder: 64 to 220gsm; Multi-purpose tray: 64 to 250gsm; RADF: 60 to 105gsm; Duplex: 64 to 220gsm
Duplex	Standard
Paper output	Face up: 100 sheets of 80gsm, Face down: 500 sheets of 80gsm (dn model); Face up: 100 sheets of 80gsm, Face down: 100 sheets of 80gsm, Finisher: 500 sheets of 80gsm (dfn model)

GENERAL FEATURES	
Memory	Standard RAM: 2GB High Performance Secure HDD: 160GB
Environment	Operating temperature/ humidity: 10°C to 32°C (17°C to 27°C recommended) / 20% to 80% RH (50% to 70% RH recommended) Storage temperature/ humidity: -10°C to 43°C / 10% to 90% RH
Power supply	Single phase 220-240VAC, frequency 50/60Hz +/- 2%
Power consumption	Typical: 870W; Max: 1500W; Idle: 120W; Power Save: 40W; Deep Sleep: 2W or less
Noise level	Operating: 58dB(A) or less; Standby: 30dB(A) or less; Power save: Background level
Dimensions (HxWxD)	675 x 522 x 564mm (dn model); 811 x 522 x 564mm (dfn model)
Weight ³	50kg approx (dn model); 60kg approx (dfn model)
Product order number	ES7170dn: 01334405; ES7170dfn: 01334406

ACCESSORIES (ORDER NUMBERS)	
Paper Feeders	2nd/3rd/4th paper tray: 45479002; Large Capacity Feeder: 45393302
Castor base	45466602
Options	Fax: 45036922; Wireless: 45517901; Antenna: 45518001
Security	Data Overwrite enabler: 45518101; IPsec enabler: 45518401; IC Card reader (HID): 45518501; IC Card reader (Mifare): 45518601
Open platform	Meta scan enabler: 45518201

CONSUMABLES (ORDER NUMBERS)	
Toner cartridges* (36,000 pages)	Black: 45460502
Image drum* (72,000 pages)	Black: 45456302
Maintenance Kit (200,000 pages)	45435104
Convenience Stapler (3,000 staples)	45513301
Internal Finisher (15,000 staples)	42937603 (dfn model)

* Toner: Number of A4 pages @ ISO/IEC 19752 coverage. Printer shipped with toner for 36,000 pages @ ISO/IEC 19752.

¹Check local OKI Executive Series website for latest driver releases and OS compatibility; ²Windows only; ³Including all consumables

Consumables Information: For the protection of your printer, and in order to ensure that you benefit from its full functionality, this model has been designed to operate only with genuine OKI toner cartridges. These can be identified by the OKI trademark. Any other toner cartridge may not operate at all, even if it is described as "compatible", and if it does work, your printer's performance and print quality may be degraded.

OKI SYSTEMS (UK) LTD.

Blays House, Wick Road
Egham, TW20 0HJ
United Kingdom

T +44(0)1784 274300

F +44(0)1784 274301


WWW.OKIEXECUTIVESERIES.CO.UK



OKI

PrintSuperVision

OKI®



The remote monitoring and configuration solution from OKI®

OKI CORPORATION
YOUR OKI CONTACT



Designed to support OKI and non-OKI network-compatible devices, PSV Enterprise enables help desks and IT staff to more productively manage a fleet of print-and-copy devices.

With PSV Enterprise, your IT staff can remotely configure a single OKI device or an entire fleet, changing device passwords, security and network settings, and enabling or disabling protocols.

Remote capabilities also extend to configuring email address and fax phone number books, for uniformity of contacts throughout the company.

Accommodating the way you do business. Both PrintSuperVision editions are a snap to use. Their Microsoft®-based design provides familiar browser navigation and the flexibility to customize the user interface to your preferences.

Usage reports with striking graphs and charts can be generated with just a few clicks. And, for more detailed management reports, both PSV editions enable you to export data as text, CSV, XML and Microsoft Excel files.

You can even import images of floor plans or geographical maps and pinpoint the location of any device through a "Map" view—complete with interactive icons displaying device status.

When it comes to making the most of your time, PrintSuperVision from OKI is an effective tool to manage your demanding IT environment.

- Monitor supply status
- Automatically send alerts
- Configure OKI devices remotely
- Enables charge-back and bill-back of printing and scanning costs
- Eliminates unauthorized use of OKI devices through print restrictions and page quotas
- Easy to set up, easy to learn
- Use standard Web browsers to view device status
- View usage reports on-screen or export to Excel® or CSV formats
- Schedule reports and generate automated e-mail delivery
- Order supplies online from preferred e-commerce sites

Put the wide-ranging benefits of PrintSuperVision to work for your business:

Time and Cost Savings

- Manage printer usage/cost
- Minimize interventions through proactive reporting of supplies usage
- Minimize printer downtime with fast alert notification
- Minimize resources assigned to support print devices

Flexibility

- Select the edition that's right for your needs
- Customize the user interface, reports and alerts
- Assign access rights: Administrator, Standard User or Guest
- Generate reports from templates or export data in CSV, XML, HTML and Microsoft® Excel® formats
- Order supplies from any website


Increased Revenue

- Track and bill back individual and/or department print use
- Restrict copy access on OKI-branded MFPs – eliminates unauthorized usage
- Set individual User Quotas on number of pages a user can print each month
- Specify unit costs for printed and scanned pages for charge-back

Simplified Configuration

- Make configuration changes to OKI devices remotely – minimize on-site support
- Change device passwords, security settings, network settings
- Assign a name, location or asset number to a device
- Enable or disable protocols
- Make or change general Printer settings
- Configure email address book and fax phone number book

PrintSuperVision enables you to effortlessly locate, configure, monitor and maintain your printers and MFPs, enterprise-wide.



Status at a glance. PrintSuperVision lets you identify device configurations and capabilities in one comprehensive screen—which also includes easy-to-identify, color-coded supply levels and operational status, displayed in real-time.

PRINTERS | SERVICES | REPORTS | ACCOUNTING | TOOLS | OPTIONS | HELP

OKI

PrintSuperVision

Current Printer 1 Edition

Search

Size:FSV 44.69 Size: + User:admin - Logout

Print Usage Report

Total printed pages based on windows print job logs

Accounting Options: Please configure Color and Mono Models, and Valid Ports.

Site: LocalSite

User:


Date: From: 1/1/2013 To: 3/1/2013

Show

Print Usage by: User Year Month

User			Printer	Date	Printed Pages				Price			
Id	Username	Domain Name	Name	Log	Year	Month	Color	Mono	Total	Color	Mono	Total
1	Marketing	NT_OKIDATA	Chris	Any	2013	January	2	84	352	0.02	0.84	0.86
1	Marketing	NT_OKIDATA	Pat	Any	2013	February	0	3	75	0	0.03	0.03
624	PRINT	NT_OKIDATA	Any	2013	January	0	10	10	0	0.1	0.1	
825	SCANNER	NT_OKIDATA	Any	2013	January	0	0	0	0	0	0	
626	Local Print	NT_OKIDATA	Any	2013	January	0	2	2	0	0.02	0.02	
625	Local Print	NT_OKIDATA	Any	2013	February	0	1	1	0	0.01	0.01	


Keep an eye on who is printing what. PrintSuperVision's Print Usage Report displays printing activity by individual or department, and lets you quickly see costs that can be charged back.



Keep your device locations in plain sight. To make finding and identifying devices easy, PrintSuperVision allows you to import floor plans, site maps or geographic maps, and place interactive icons where your devices are actually located.

User	Printer	Date	Supplies
1 Marketing	NT_OKIDATA	Chris	Any
1 Marketing	NT_OKIDATA	Pat	Any
624 PRINT	NT_OKIDATA	Any	2013 January
825 SCANNER	NT_OKIDATA	Any	2013 January
626 Local Print	NT_OKIDATA	Any	2013 January
625 Local Print	NT_OKIDATA	Any	2013 February

Maximize uptime, minimize service calls. PrintSuperVision's Supplies Usage Report predicts consumables "change by dates" to help you better plan your supplies purchases. Order supplies online from the website of your choice with just a few mouse clicks.



FUJITSU

FUJITSU Image Scanner fi-7160

The fi Series entry ADF model scanner offers superior cost performance



- Best in its class in cost performance
- Large volume hopper
- Equipped with LCD
- Paper protection function by detecting paper jam sounds
- "Skew Reducer" - stable paper feeding mechanism
- Centralized management of multiple scanners
- Renewed scanner driver and image capturing software

Visit the fi Series homepage for ordering and purchasing information

<http://imagescanner.fujitsu.com/>

Color
60
mm*

DUPLEX

Best in its class in cost performance

The fi-7160 scans color A4 documents at a speed of 60 ppm / 120 ipm, offering unmatched cost-performance.

Large volume hopper

The scanner is capable of setting up to 80 pages in the large volume hopper which allows you to quickly digitize a large volume of documents.

High speed interface

The scanner supports USB3.0 for high speed data transfer between scanner and the computer.

Equipped with LCD (Liquid Crystal Display)

LCD is equipped on the operational panel to display the operational settings for scanning documents, the number of sheets scanned, and error status. It is used to easily check the status of the scanner.

Equipped with enhanced Paper protection function

The new technology ISOP (Intelligent Sonic Paper Protection) reduces the risk of having the documents damaged by stopping the scan when the scanner detects paper jam sound.

"Skew Reducer" – stable paper feeding mechanism

The scanner is equipped with "Skew Reducer" to ensure straight paper feeding even for mix batch of small or thin papers. This function reduces the skewness of the documents and thus minimizes the occurrence of missing the edge of the scanned image data.

Improved efficiency for pre-scan work

The scanner can perform "batch scanning" which allows you to scan documents with different paper weights and sizes at once, simplifying the process of sorting the documents before scanning.

Reduced work loss caused by multifeeds

The scanner mounts an ultrasonic multifeeds sensor that accurately detects "multifeeds" errors where two or more sheets are fed through the scanner at once. This multifeeds detection is reliable even when scanning a mixed batch of documents with different paper weights and sizes, avoiding potential work loss.

Intelligent Multifeed function

When there is paper of the same size attached to a designated location on the page, the Intelligent Multifeed function enables the scanner to recognize the location of the attachment. This allows you to continue scanning instead of pausing the scan by detecting every paper attachment as multifeed.

Advanced image processing function

The scanner's automatic detection function outputs images in color or monochrome by the document content. This allows you to save the hassle of changing the settings for every scan.

Centralized management of multiple scanners

The bundled "Scanner Central Admin" application allows you to manage multiple scanners together. For example, you can update the scanner settings and drivers, as well as monitor the operating status of each scanner.

Renewed scanner driver and image capturing software

PaperStream IP – produce high quality image processing

PaperStream IP is the scanner driver for fi Series which is based on TWAIN / ISIS standard. With the advanced black and white process, various documents can be automatically and easily converted into image data suitable for OCR (Optical character recognition). High quality image data can be created without pre-setting the scanning settings beforehand.

PaperStream Capture – enhance batch scanning

PaperStream Capture is an application to scan and manage the scanned data using fi Series scanners. Whether it is adjusting the scanning settings or performing batch scanning, you can complete the tasks easily with the user-friendly UI. With the seamless linkage with PaperStream IP, you can perform high quality image processing and batch scanning at the same time.

Option: Post Imprinter

The optional imprinter unit prints identification markers like dates, alphanumeric codes and symbols on reverse side of the original document. This makes it easier to locate the originals of scanned document when you need to reference them.

Option: ScanSnap Carrier Sheets

Carrier Sheets allow you to scan documents, photos or clippings larger than A4 size. Documents larger than A4 (such as A3 or B4) or photos and clippings that can be damaged easily can be digitized when using the Carrier Sheets.

*ScanSnap Carrier Sheets (5 sheets per set) can be purchased separately. (The Carrier Sheet should be replaced approximately every 500 scans)

Supported operating systems		Windows® 8 (32-bit/64-bit), Windows® 7 (32-bit/64-bit), Windows Vista® (32-bit/64-bit), Windows® XP (32-bit/64-bit), Windows Server® 2012, Windows Server® 2008 (32-bit/64-bit)
Scanner type		Automatic Document Feeder(ADF)
Scanning modes		Simplex / Duplex, Color / Grayscale / Monochrome
Image sensor type		Color CCD (Charge-coupled device) x 2 (front x 1, back x 1)
Light source		White LED Array x 2 (front x 1, back x 1)
Multi-feed detection		Ultrasonic multi-feed detection sensor x 1, Paper detection sensor
Document size	Maximum	216 x 355.6 mm (8.5 x 14 in.)
	Minimum ^{*1}	50.8 x 54 mm (2 x 2.13 in.) (Landscape / Portrait)
	Long paper scanning (Maximum) ^{*2}	216 x 5,588 mm (8.5 x 220 in.)
Paper weight (Thickness) ^{*3}		27 to 413 g/m ² (7.2 to 112 lbs), 127 to 209 g/m ² (34 to 56 lb) for A8 size, 1.4 mm or less for plastic card ^{*4}
Scanning speed (A4,Portrait) ^{*5}	Color ^{*6}	Simplex: 60 ppm (200/300 dpi), Duplex: 120 ipm (200/300 dpi)
	Grayscale ^{*6}	
	Monochrome ^{*7}	
Paper chute capacity ^{*8}		80 sheets (A4: 80 g/m ² or 20 lb) (Active loadable ADF)
Expected daily volume		4,000 sheets / day
Background colors		White / Black (Selectable)
Optical resolution		600 dpi
Output resolution ^{*9}	Color (24-bit)	50 to 600 dpi (adjustable by 1 dpi increments), 1200 dpi (driver) ^{*10}
	Grayscale (8-bit)	
	Monochrome (1-bit)	
Output format	Color	24-bit
	Grayscale	8-bit
	Monochrome	1-bit
Internal video processing		65,536 levels (16-bit)
Interface ^{*11}		USB3.0 (USB2.0 is also available)
Connector shape		B type
Image processing functions	Hardware-based	Dropout color (R, G, B), Deskew cropping
	Software-based	Multi-image, Auto color, Blank page skip, i-DTC, Advanced-DTC, Simplified-DTC, Error diffusion, Dither, Moire removal, Image emphasis, Color cleanup, Dropout color (None, Specified, Color saturation), sRGB, Punch hole removal, Tab cropping, Upper lower separation
Power requirements		AC 100 to 240 V ± 10%
Power consumption	Operating mode	38 W or less
	Sleep mode	1.8 W or less
	Auto Standby (Off) mode	0.35 W or less
Operating environment	Temperature	5 to 35 °C (42 to 95 °F)
	Relative humidity	20 to 80 % (Non-condensing)
Dimensions: Width x Depth x Height ^{*12}		300 x 170 x 163 mm (11.81 x 6.69 x 6.42 in.) Installation space: 400 x 700 x 380 mm (15.75 x 27.56 x 14.96 in.)
Weight		4.2 kg (9.26 lb)
Included software / drivers		PaperStream IP (TWAIN/ISIS) Driver, Software Operation Panel, Error Recovery Guide, PaperStream Capture, ScanSnap Manager for fi Series, Scan to Microsoft SharePoint, ABBYY FineReader for ScanSnap, Scanner Central Admin Agent
Environmental compliance		ENERGY STAR® and RoHS
Included items		ADF paper chute, AC cable, AC adapter, USB cable, Setup DVD-ROM

*1 The minimum scanning area only applies to using the ADF. There is no limitation when using the flatbed.

*2 Can scan documents longer than A4 size. When using PaperStream IP (TWAIN/ISIS) to scan at 200 dpi, the maximum scanning length is 5,588 mm (220 in.).

*3 The paper weight only applies to using the ADF. There is no limitation when using the flatbed.

*4 Capable of scanning up to 3 cards at a time. (Note: does not support multi-embossed card feedability.)

*5 Actual scanning speeds are affected by data transmission and software processing times.

*6 JPEG compressed figures.

*7 TIFF G4 compressed figures.

*8 Maximum capacity varies, depending upon paper weight.

*9 Maximum output resolutions may vary, depending upon the size of the area being scanned and whether the scanner is scanning in simplex or duplex.

*10 Scanning limitations brought about by scanning mode, document size and available memory may occur when scanning at high resolutions (600 dpi or higher).

*11 Connection with USB3.0 / 2.0 requires the USB port and the hub to support USB3.0 / 2.0. Also note that the scanning speed slows down when using USB1.1.

*12 Excluding the ADF paper chute and stacker.

Options

Description	Parts number	Comments
Post Imprinter (fi-718PR)	PA03670-D201	Assists document management by printing numbers, Roman characters and codes on original documents after they have been scanned.
ScanSnap Carrier Sheets	PA03360-0013	Each package contains 5 carrier sheets. It is recommended that each carrier sheet be replaced after it has been used for 500 scans.

Consumables

Description	Parts number	Comments
BRAKE ROLLER	PA03670-0001	Lifetime: Every 200,000 sheets or one year. These rollers separate documents as they are being fed into the scanner.
PICK ROLLER	PA03670-0002	Lifetime: Every 200,000 sheets or one year. These rollers feed documents into the scanner.
PRINT CARTRIDGE	CA00050-0262	Lifetime: 4,000,000 printed characters fi-718PR print head

Trademarks

* ABBYY™ FineReader™ Engine ©ABBYY. OCR by ABBYY ABBYY and FineReader are trademarks of ABBYY.
* ISIS is a registered trademark of EMC Corporation of the United States.

* Microsoft, Windows, Windows Server, Windows Vista and SharePoint are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

* Any other products or company names appearing in this document are the trademarks or registered trademarks of the respective companies.

⚠ Safety Precautions

- Be sure to carefully read all safety precautions prior to using this product and use this device as instructed.
- Do not place this device in wet, moist, steamy, dusty or oily areas. Using this product under such conditions may result in electrical shock, fire or damage to this product.
- Be sure to limit the use of this product to listed power ratings.



PFU Limited, a Fujitsu company, has determined that this product meets the ENERGY STAR® guidelines for energy efficiency. ENERGY STAR is a registered trademark of the United States.



Изрично пълномощно в оригинал за конкретната процедура

ИЗРИЧНО ПЪЛНОМОЩНО

Долуподписаният **Йордан Петков Йорданов**, с лична карта № 646113614, издадена на 08.10.2015 г. от МВР – гр.София, с ЕГН: 5402055789, с постоянен адрес: гр. София, ул.„Люлински път” № 9, в качеството ми на Изпълнителен Директор на **КОНТРАКС АД**, със седалище и адрес на управление: град София, 1113, ж.к. Изток, ул. „Тинтява” № 13, тел. 02/ 96 09 77; 02/ 96 09 797, ЕИК по БУЛСТАТ: 175415627

УПЪЛНОМОЩАВАМ

ЕЛИЗАБЕТА СИМЕОНОВА БАШЕВА


В качеството й на Организатор „Проекти” в **КОНТРАКС АД**, с лична карта № 626322216 изд. на 10.11.2009 г. от МВР гр. София, ЕГН 9104026976

Със следните права:

- Да представлява **КОНТРАКС АД**, при участие в обществена поръчка с предмет: „Доставка на компютърна и периферна техника за Управляващия орган на ОПРЧР и МТСП“ с две обособени позиции, за **ОБОСОБЕНА ПОЗИЦИЯ № 2** – „Доставка на периферна техника за Управляващия орган на ОПРЧР и МТСП“
- Да подписва заверката „вярно с оригинала“ върху всички изискани от възложителя копия на документи;
- Да подписва от името на дружеството цялата документация, но не само офертата, техническото и ценово предложение, всички декларации от името на дружеството, както и всички други документи свързани с подготовката на тръжната документация.

24.10.2016 год.

Упълномощител:.....


Йордан Йорданов
Изпълнителен директор



Декларация за съгласие с клаузите на приложения проект на договор

ДЕКЛАРАЦИЯ
за съгласие с клаузите на приложения проект на договор

Долуподписаната Елизабета Симеонова Башева,
притежаваща лична карта № 626322216 издадена на 10.11.2009 г. от МВР гр. София –
адрес: гр. София, ж.к. „Красно село“ бл. 207, ет.10, ап. 39,
в качеството ми на Упълномощен представител,
На **КОНТРАКС АД** - участник в открита процедура за възлагане на обществена поръчка с
предмет:
„Доставка на компютърна и периферна техника за Управляващия орган на ОПРЧР и
МТСП“ с две обособени позиции,
за ОБОСОБЕНА ПОЗИЦИЯ № 2 – „Доставка на периферна техника за Управляващия
орган на ОПРЧР и МТСП“

ДЕКЛАРИРАМ:

Запозната съм и приемам всички условия в проекта на договора.

Известно ми е, че при деклариране на неверни данни нося наказателна отговорност по чл.
313 от Наказателния кодекс.

Дата: 24.10.2016 г.

ДЕКЛАРАТОР:.....

Елизабета Симеонова Башева
/трите имена, подписи печат на кандидата/



Декларация за срок на валидност на офертата

ДЕКЛАРАЦИЯ
за срок на валидност на офертата

Долуподписаната Елизабета Симеонова Башева,
притежаваща лична карта № 626322216 издадена на 10.11.2009 г. от МВР гр. София –
адрес: гр. София, ж.к. „Красно село“ бл. 207, ет.10, ап. 39,
в качеството ми на Упълномощен представител,
На **КОНТРАКС АД** - участник в открита процедура за възлагане на обществена поръчка с
предмет:

**„Доставка на компютърна и периферна техника за Управляващия орган на ОПРЧР и
МТСП“ с две обособени позиции,**
**за ОБОСОБЕНА ПОЗИЦИЯ № 2 – „Доставка на периферна техника за Управляващия
орган на ОПРЧР и МТСП“**

ДЕКЛАРИРАМ:

Срокът на валидност на офертата е 6 (шест) месеца, считано от крайния срок за получаване на офертите.

Известно ми е, че при деклариране на неверни данни нося наказателна отговорност по чл. 313 от Наказателния кодекс.

Дата: 24.10.2016 г.

ДЕКЛАРАТОР:

Елизабета Симеонова Башева
/трите имена, подпис и печат на кандидата/



Декларация относно изискванията към предлаганата техника

ДЕКЛАРАЦИЯ
относно изискванията към предлаганата техника

Долуподписаната Елизабета Симеонова Башева,
притежаваща лична карта № 626322216 издадена на 10.11.2009 г. от МВР гр. София –
адрес: гр. София, ж.к. „Красно село“ бл. 207, ет.10, ап. 39,
в качеството ми на Упълномощен представител,
На **КОНТРАКС АД** - участник в открита процедура за възлагане на обществена поръчка с
предмет:

**„Доставка на компютърна и периферна техника за Управляващия орган на ОПРЧР и
МТСП“ с две обособени позиции,
за **ОБОСОБЕНА ПОЗИЦИЯ № 2** – „Доставка на периферна техника за Управляващия
орган на ОПРЧР и МТСП“**

ДЕКЛАРИРАМ:


Предложената от Контракс АД техника:

- е нова, неупотребявана, с оригинални компоненти от производителя и с посочени продуктови номера;
- предлага висока надеждност;
- съответства на изискванията на Възложителя и техническата спецификация и е в текущата продуктова листа на производителя и за нея ще бъде осигурено гаранционно сервизно обслужване.
- захранването на предлаганата техника е 220 V – 240 V AC, 50 Hz, европейски стандарт на кабели и конектори.

Дата: 24.10.2016 г.

ДЕКЛАРАТОР:

Елизабета Симеонова Башева
/трите имена, подпис и печат на кандидата/





Декларация относно изпълнение на поръчката, гаранционно обслужване и поддръжка на предложената техника

ДЕКЛАРАЦИЯ
относно изпълнение на поръчката, гаранционно обслужване и поддръжка на
предложената техника

Долуподписаната Елизабета Симеонова Башева,
притежаваща лична карта № 626322216 издадена на 10.11.2009 г. от МВР гр. София –
адрес: гр. София, ж.к. „Красно село“ бл. 207, ет.10, ап. 39,
в качеството ми на Упълномощен представител,
На **КОНТРАКС АД** - участник в открита процедура за възлагане на обществена поръчка с
предмет:

„Доставка на компютърна и периферна техника за Управляващия орган на ОПРЧР и
МТСП“ с две обособени позиции,
за ОБОСОБЕНА ПОЗИЦИЯ № 2 – „Доставка на периферна техника за Управляващия
орган на ОПРЧР и МТСП“

ДЕКЛАРИРАМ:

В случай, че Контракс АД, бъде избран за Изпълнител на горецитираната процедура:

- ще достави, монтира, тества и въведе в експлоатация периферната техника.
- ще осигури при извършване на доставката наръчници на потребителя (ръководство за експлоатация) на български език за всички изделия от доставената техника.
- ще осигури сервизно обслужване в рамките на гаранционния срок, считано от подписване на окончателния протокол за доставка, монтаж, тестване и въвеждане в експлоатация на оборудването.
- ще проведе 2-дневно обучение на 10 служители на възложителя за работа с МФУ – тип 1 и МФУ тип 2. За целта на обучението възложителят ще осигури подходяща зала, като практическото обучение ще се проведе на място при монтираната техника. Контракс АД ще осигури всички необходими материали за нормалното протичане на обучението. В техническото ни предложение е приложена програма на обучението.
- ще извърши сервизното обслужване на мястото на доставката, като Контракс АД ще отстранява възникналата повреда със собствени сервизни специалисти.
- гаранционното сервизно обслужване включва разходи за труд, резервни части и транспорт.
- гаранционният срок, считан от датата на подписване на окончателния приемо - предавателен протокол за доставка, монтаж, тестване, въвеждане в експлоатация на техниката и провеждане на 2-дневното обучение е 36 (тридесет и шест) месеца.
- ще осигури гаранционна сервизна поддръжка и ще отстрани възникнал проблем в рамките на работното време на крайния получател при максимално време на реакция/отстраняване на повредата – 48/100 часа от получаването на сервизна заявка. В случай на невъзможност повредата на дефектиралата гаранционна стока да бъде отстранена в уговорения срок, същата ще бъде заменена с друга за временно ползване.
- ще осигури за своя сметка товаро-разтоварните дейности и транспорта до доставката до мястото на изпълнение на поръчката, включително и за времето на гаранционното сервизно обслужване.

Дата: 24.10.2016 г.

ДЕКЛАРАТОР:.....

Елизабета Симеонова Башева
/трите имена, подпис и печат на кандидата/